


PREFABRICATED ROOF CURBS



Canted



Self-Flashing



Self-Flashing Vented
(Restaurant)




Fiberglass Roof Curb



Curb Adapter



Series RCPF



NOTES:

1. Curbs are sized 1/2" less than fan base to allow 3/4" each side for flashing material and clearance.
2. Inside of curb is 3" less than Dimension "A".
3. For aluminum curb substitute RCPF~~A~~I in place of RCPF~~G~~I.
4. When using a motor operated damper in the curb, a 12"-high (minimum) curb is required.

Features

- Constructed of 18-gauge galvanized steel with continuously-welded seams
- Large 3" built-in 45° cant to accommodate roofing material to top of curb. Cant is beveled at corners for better support of roofing material
- Wood nailer (1/2") secured to top ledge
- Lined with 1/2" fiberglass fire-resistant, sound-absorbing insulation
- Damper shelf

Options

- Aluminum (16-gauge) construction
- Burglar security bars
- Metal liner (galvanized or aluminum)
- Special heights up to 24"

MODEL	FAN		ROOF CURB DIM. A (SQ)	PART NUMBER		
	SIZE	BASE I.D.		8" HIGH CURB	12" HIGH CURB	18" HIGH CURB
ACX	70, 75, 85	17 x 17	15.5 x 15.5	RC15508PFGI	RC15512PFGI	RC15518PFGI
	100, 120	20 x 20	18.5 x 18.5	RC18508PFGI	RC18512PFGI	RC18518PFGI
	140	24 x 24	22.5 x 22.5	RC22508PFGI	RC22512PFGI	RC22518PFGI
	160	26 x 26	24.5 x 24.5	RC24508PFGI	RC24512PFGI	RC24518PFGI
	180, 210	30 x 30	28.5 x 28.5	RC28508PFGI	RC28512PFGI	RC28518PFGI
	240	34 x 34	32.5 x 32.5	RC32508PFGI	RC32512PFGI	RC32518PFGI
	300	40 x 40	38.5 x 38.5	RC38508PFGI	RC38512PFGI	RC38518PFGI
	360	46 x 46	44.5 x 44.5	RC44508PFGI	RC44512PFGI	RC44518PFGI
ATB	420	52 x 52	50.5 x 50.5	RC50508PFGI	RC50512PFGI	RC50518PFGI
	480	58 x 58	56.5 x 56.5	RC56508PFGI	RC56512PFGI	RC56518PFGI
	180	30 x 30	28.5 x 28.5	RC28508PFGI	RC28512PFGI	RC28518PFGI
	210, 240	34 x 34	32.5 x 32.5	RC32508PFGI	RC32512PFGI	RC32518PFGI
	300	40 x 40	38.5 x 38.5	RC38508PFGI	RC38512PFGI	RC38518PFGI
ACXD	360	46 x 46	44.5 x 44.5	RC44508PFGI	RC44512PFGI	RC44518PFGI
	420	52 x 52	50.5 x 50.5	RC50508PFGI	RC50512PFGI	RC50518PFGI
ATD	480	58 x 58	56.5 x 56.5	RC56508PFGI	RC56512PFGI	RC56518PFGI
	120	20 x 20	18.5 x 18.5	RC18508PFGI	RC18512PFGI	RC18518PFGI
PC	130, 140, 150, 160	24 x 24	22.5 x 22.5	RC22508PFGI	RC22512PFGI	RC22518PFGI
	170, 180	30 x 30	28.5 x 28.5	RC28508PFGI	RC28512PFGI	RC28518PFGI
PCU	180	30 x 30	28.5 x 28.5	RC28508PFGI	RC28512PFGI	RC28518PFGI
	077, 083, 085, 089, 098, 112, 120	17 x 17	15.5 x 15.5	RC15508PFGI	RC15512PFGI	RC15518PFGI
	085	17 x 17	15.5 x 15.5	RC15508PFGI	RC15512PFGI	RC15518PFGI
PCUB	089, 098, 110, 112	20 x 20	18.5 x 18.5	RC18508PFGI	RC18512PFGI	RC18518PFGI
	122, 124, 135, 140, 150, 157, 165	24 x 24	22.5 x 22.5	RC22508PFGI	RC22512PFGI	RC22518PFGI
	122, 124, 135, 140, 150, 157, 165	24 x 24	22.5 x 22.5	RC22508PFGI	RC22512PFGI	RC22518PFGI

DIMENSIONS ARE NOT TO BE USED FOR CONSTRUCTION.


Series RCSF

Features

- Constructed of 18-gauge galvanized steel with continuously-welded seams
- Wide base plate (flashing) to ensure watertight bond to roof
- Top ledge covered with $\frac{3}{16}$ " polystyrene gasket for weather seal and to reduce metal-to-metal conducted noise
- Lined with $\frac{1}{2}$ " fiberglass fire-resistant, sound-absorbing insulation
- Damper shelf

Options

- Aluminum (16-gauge) construction
- Burglar security bars
- Metal liner (galvanized or aluminum)
- Special heights up to 24"
- Wood nailer ($\frac{1}{2}$ ") secured to top ledge in lieu of polystyrene gasket
- Single- or double-pitched curbs for sloping roofs




NOTES:

1. Curbs are sized $\frac{1}{2}$ " less than fan base to allow $\frac{1}{4}$ " each side for clearance.
2. Inside of curb is 3" less than Dimension "A".
3. For aluminum curb substitute RCSFAI in place of RCSFGI.
4. When using a motor operated damper in the curb, a 12"-high (minimum) curb is required.

MODEL	FAN		ROOF CURB DIM. A (SQ)	PART NUMBER		
	SIZE	BASE I.D.		8" HIGH CURB	12" HIGH CURB	18" HIGH CURB
ACX	70, 75, 85	17 x 17	16.5 x 16.5	RC16508SFGI	RC16512SFGI	RC16518SFGI
	100, 120	20 x 20	19.5 x 19.5	RC19508SFGI	RC19512SFGI	RC19518SFGI
	140	24 x 24	23.5 x 23.5	RC23508SFGI	RC23512SFGI	RC23518SFGI
	160	26 x 26	25.5 x 25.5	RC25508SFGI	RC25512SFGI	RC25518SFGI
	180, 210	30 x 30	29.5 x 29.5	RC29508SFGI	RC29512SFGI	RC29518SFGI
	240	34 x 34	33.5 x 33.5	RC33508SFGI	RC33512SFGI	RC33518SFGI
	300	40 x 40	39.5 x 39.5	RC39508SFGI	RC39512SFGI	RC39518SFGI
	360	46 x 46	45.5 x 45.5	RC45508SFGI	RC45512SFGI	RC45518SFGI
	420	52 x 52	51.5 x 51.5	RC51508SFGI	RC51512SFGI	RC51518SFGI
ATB	180	30 x 30	29.5 x 29.5	RC29508SFGI	RC29512SFGI	RC29518SFGI
	210, 240	34 x 34	33.5 x 33.5	RC33508SFGI	RC33512SFGI	RC33518SFGI
	300	40 x 40	39.5 x 39.5	RC39508SFGI	RC39512SFGI	RC39518SFGI
	360	46 x 46	45.5 x 45.5	RC45508SFGI	RC45512SFGI	RC45518SFGI
	420	52 x 52	51.5 x 51.5	RC51508SFGI	RC51512SFGI	RC51518SFGI
	480	58 x 58	57.5 x 57.5	RC57508SFGI	RC57512SFGI	RC57518SFGI
ACXD	120	20 x 20	19.5 x 19.5	RC19508SFGI	RC19512SFGI	RC19518SFGI
	130, 140, 150, 160	24 x 24	23.5 x 23.5	RC23508SFGI	RC23512SFGI	RC23518SFGI
	170, 180	30 x 30	29.5 x 29.5	RC29508SFGI	RC29512SFGI	RC29518SFGI
ATD	180	30 x 30	29.5 x 29.5	RC29508SFGI	RC29512SFGI	RC29518SFGI
PC	077, 083, 085, 089, 098, 112, 120	17 x 17	16.5 x 16.5	RC16508SFGI	RC16512SFGI	RC16518SFGI
PCU	085	17 x 17	16.5 x 16.5	RC16508SFGI	RC16512SFGI	RC16518SFGI
	089, 098, 110, 112	20 x 20	19.5 x 19.5	RC19508SFGI	RC19512SFGI	RC19518SFGI
	122, 124, 135, 140, 150, 157, 165	24 x 24	23.5 x 23.5	RC23508SFGI	RC23512SFGI	RC23518SFGI
PCUB	122, 124, 135, 140, 150, 157, 165	24 x 24	23.5 x 23.5	RC23508SFGI	RC23512SFGI	RC23518SFGI

DIMENSIONS ARE NOT TO BE USED FOR CONSTRUCTION.

Series RCSFV



NOTES:

1. Curbs are sized 1/2" less than fan base to allow 3/4" clearance on each side for curb hinge (if required).

Features

- Completely assembled unit, easier to install and less expensive than a field constructed curb
- Constructed of 18-gauge galvanized steel with continuously-welded seams with wide base flashing for weathertight seal to roof
- Meets NFPA-96 code requirements
- Top ledge covered with 3/16" polystyrene gasket
- Furnished with ventilation slots

For Use on Roof Mounted Restaurant Exhaust Fans

MODEL	FAN		ROOF CURB DIM. A (SQ)	PART NUMBER	
	SIZE	BASE I.D.		12" HIGH CURB	18" HIGH CURB
ATBR	180	30 x 30	28.5 x 28.5	RC28512SFVG	RC28518SFVG
	210	34 x 34	32.5 x 32.5	RC32512SFVG	RC32518SFVG
	240			RC38512SFVG	RC38518SFVG
	300	40 x 40	38.5 x 38.5	RC44512SFVG	RC44518SFVG
	360	46 x 46	44.5 x 44.5	RC28512SFVG	RC28518SFVG
ATDR	180	30 x 30	28.5 x 28.5	RC28512SFVG	RC28518SFVG

DIMENSIONS ARE NOT TO BE USED FOR CONSTRUCTION.


Series RCSA

Features

- Reduces the roof fan noise transmitted into building. Typical performance of sound attenuating curb will result in a 40% reduction of sone value with a 7% loss in CFM
- Designed with streamlined airflow passages using a core of modular type sound-absorbing cells of special fiberglass held in a galvanized steel frame
- Constructed of 18-gauge galvanized steel with continuously-welded seams
- Large 3" built-in 45° cant to accommodate roofing material to top of curb
- Wood nailer (1 1/2") secured to top ledge
- Lined with 1 1/2" fiberglass fire-resistant, sound-absorbing insulation
- Damper box

Options

- Aluminum (16-gauge) construction
- Also available in self-flashing or raised cant design



A special sound-absorbing curb designed for use with power roof ventilators where exceptionally quiet operation is required.

MODEL	FAN		ROOF CURB DIM. A (SQ)	PART NUMBER
	SIZE	BASE I.D.		
ACX	70, 75, 85	17 x 17	15.5 x 15.5	RC15516SAGI
	100, 120	20 x 20	18.5 x 18.5	RC18516SAGI
	140	24 x 24	22.5 x 22.5	RC22516SAGI
	160	26 x 26	24.5 x 24.5	RC24516SAGI
	180, 210	30 x 30	28.5 x 28.5	RC28516SAGI
	240	34 x 34	32.5 x 32.5	RC32516SAGI
	300	40 x 40	38.5 x 38.5	RC38516SAGI
	360	46 x 46	44.5 x 44.5	RC44516SAGI
	420	52 x 52	50.5 x 50.5	RC50516SAGI
ATB	480	58 x 58	56.5 x 56.5	RC56516SAGI
	180	30 x 30	28.5 x 28.5	RC28516SAGI
	210, 240	34 x 34	32.5 x 32.5	RC32516SAGI
	300	40 x 40	38.5 x 38.5	RC38516SAGI
	360	46 x 46	44.5 x 44.5	RC44516SAGI
	420	52 x 52	50.5 x 50.5	RC50516SAGI
ACXD	120	20 x 20	18.5 x 18.5	RC18516SAGI
	130, 140, 150, 160	24 x 24	22.5 x 22.5	RC22516SAGI
	170, 180	30 x 30	28.5 x 28.5	RC28516SAGI
ATD	180	30 x 30	28.5 x 28.5	RC28516SAGI
PC	077, 083, 085, 089, 098, 112, 120	17 x 17	15.5 x 15.5	RC15516SAGI
PCU	085	17 x 17	15.5 x 15.5	RC15516SAGI
	089, 098, 110, 112	20 x 20	18.5 x 18.5	RC18516SAGI
	122, 124, 135, 140, 150, 157, 165	24 x 24	22.5 x 22.5	RC22516SAGI
PCUB	122, 124, 135, 140, 150, 157, 165	24 x 24	22.5 x 22.5	RC22516SAGI

DIMENSIONS ARE NOT TO BE USED FOR CONSTRUCTION.

Sound Curb Pressure Loss

VELOCITY FPM*	ΔP IN. W.G.
200	.01
400	.02
600	.04
800	.07
1000	.11
1200	.16
1500	.25
2000	.44

*Velocity through curb inlet.


Series RCCA

Features

- Constructed of heavy-gauge galvanized steel with continuously-welded seams
- Top ledge covered with $\frac{3}{16}$ " polystyrene gasket to reduce metal-to-metal conducted noise and act as a weather seal

Style A

(For use with
oversize, existing curb)




Recommended Sizing:

Dimension A = Fan Base (Cap)
Minus $\frac{1}{2}$ "

Dimension B = Roof Curb Outside
Dimension Plus $\frac{1}{2}$ "

Style B

(For use with
smaller, existing curb)



Recommended Sizing:

Dimension A = Fan Base (Cap)
Minus $\frac{1}{2}$ "

Dimension B = Roof Curb Outside
Dimension Plus $\frac{1}{2}$ "

Dimension C = $(A - B) \div 2$

Note: Use of a large fan on a smaller, existing curb may cause an inlet obstruction and result in reduced fan performance.

DIMENSIONS ARE NOT TO BE USED FOR CONSTRUCTION.

ROOF CURB EXTENSION


Series RCCE

Features

- Constructed of 18-gauge galvanized steel with continuously-welded seams for water tightness and extra strength
- $\frac{3}{16}$ " polystyrene gasket on top ledge to reduce metal-to-metal conducted noise and act as a weather seal
- Lined with $\frac{1}{2}$ " fiberglass fire resistant, sound absorbing insulation
- Built-in back draft damper shelf and removable access panel

Options

- Heights up to 24" (13" is standard)
- Vent slots (no insulation or damper shelf)




Recommended Sizing:

Dimension A = Fan Base Minus $\frac{1}{2}$ "


Dimension B = A Minus $\frac{1}{4}$ "

Series EF (w/insulation)



E12F — A 12" high, beige color, molded fiberglass, reinforced polyester resin, double shell, prefabricated roof curb with a 3¹/₂" cant, corner gussets, 2" thick fiberglass insulation and incorporating a treated 1¹/₂" x 3¹/₂" treated wood nailer and damper tray.

Series E



E12 — A 12" high, beige color, molded fiberglass, reinforced polyester resin, single shell, prefabricated roof curb with a 3¹/₂" cant, corner gussets and incorporating a treated 1¹/₂" x 3¹/₂" treated wood nailer and damper tray.

FAN / HOOD			ROOF CURB DIM. A (SQ)	12" HIGH CURB WITH INSULATION		12" HIGH CURB NON-INSULATED		G (SQ)	DAMPER SIZE WHEN REQ'D
MODEL	SIZE	BASE I.D.		PART NUMBER	APPROX. SHIP WT. (LB)	PART NUMBER	APPROX. SHIP WT. (LB)		
AWA	7	17 x 17	16 x 16	15025102	31	15025002	26	6.63	6 x 6
	10, 12	21 x 21	20 x 20	15025104	38	15025004	31	10.63	10 x 10
	14	24.8 x 24.8	24 x 24	15025105	46	15025005	38	14.63	14 x 14
	18	29 x 29	28 x 28	15025107	53	15025007	44	18.63	18 x 18
AWAB	14	24.8 x 24.8	24 x 24	15025105	46	15025005	38	14.63	14 x 14
	18	29 x 29	28 x 28	15025107	53	15025007	44	18.63	18 x 18
	24	37.5 x 37.5	36 x 36	15025109	68	15025009	56	24.63	24 x 24
	30	45.5 x 45.5	44 x 44	15025112	82	15025012	67	30.63	30 x 30
	36, 40	53 x 53	52 x 52	15025115	99	15025015	80	36.63	36 x 36

NOTE: Damper to have 1⁵/₈" flange.

DIMENSIONS ARE NOT TO BE USED FOR CONSTRUCTION.

**WALL MOUNTED FANS | TUBEAXIAL & VANEAXIAL FANS | CENTRIFUGAL FANS & BLOWERS |
ROOF VENTILATORS AIR HEATERS & COOLERS | AIR MAKE-UP | FIBERGLASS FANS | CUSTOM FANS**



AEROVENT 
INDUSTRIAL VENTILATION SYSTEMS

AEROVENT.COM

5959 Trenton Lane N. | Minneapolis, MN 55442 | Phone: 763-551-7500 | Fax: 763-551-7501

©2023 Twin City Fan Companies, Ltd., Minneapolis, MN. All rights reserved. Catalog illustrations cover the general appearance of Aerovent products at the time of publication and we reserve the right to make changes in design and construction at any time without notice.